SUPERPI

Better Mobility, Better Life

ABOUT US

Superpi Robot designs and manufactures high-tech smart power wheelchairs, electric walkers and mobility scooters of great aesthetics and performance. We boast cutting-edge expertise in electronic control and intelligent system design. Core components are pridely developed in-house. Our mission is to deliver highly innovative and reliable mobility solutions for seniors and people with mobility impairments, empowering them to travel with confidence and live each day to the fullest. Established in September 2022, Superpi Robot is headquartered in Hangzhou, China.

Superpi Robot Co., Ltd.

CONTACT US

(86)-0571-88211188

sales@superpirobot.com

www.superpirobot.com

N901 Yungu Fudi Center, No.181 Jingda Rd,Hangzhou,CN 31003

SUPERPI

Better Mobility, Better Life



Superpi Robot Co., Ltd.

www.superpirobot.com

SUPERPI



SUPERPI W1

4-in-1 ROLLTOR

Removable Lithium Battery

24V/6.6Ah×1

- Powerchair Mode
- Walking Assist Mode
- Transport Mode
- Rehab Mode
- Uphill Power Assist
- Descent Speed Control
- Self-developed Smart Controller
- APP Remote Control
- Monocoque Frame
- Armrest-embedded sensors
- Instant Folding Mechanism
- Airline Approved





Specs.

Frame Material	Carbon Fiber	Obstacle Clearance Height(mm)	30
Unfolded (mm)	993*930*630	Turning Radius(mm)	590
Folded (mm)	675*845*260	Motor	140W*2 (Brushless Motor)
Net Weight (kg)	14.9(Batteries not included)	Battery Type	Lithium Battery
Max Load (kg)	120	Battery Capacit （Ah）	6.6
Max Speed (km/h)	6	Typical Range(km)	12
Max. Slope (°)	8	Waterproof Rating	IPX4

www.superpirobot.com

SUPERPI




SUPERPI M2
MOBILITY SCOOTER

Removable Lithium Battery

24V/6.6Ah×1 | 24V/6.6Ah×2

- One second folding mechanism with no hassle bending
- Compact foldable. One-hand tow like a 26" suitcase
- Safe and secure with NFC access
- Dynamic curve and descent speed control
- Responsive tipping detection & emergency alert
- Airline Approved





Specs

Frame Material	Aluminum Alloy	Obstacle Clearance Height(mm)	40
Unfolded (mm)	973*957*510	Turning Radius(mm)	1225
Folded (mm)	755*510*330	Motor	150 (Brushless Motor)
Net Weight (kg)	16.9(Batteries not included)	Battery Type	Lithium Battery
Max Load (kg)	136	Battery Capacit （Ah）	6.6/13.2
Max Speed (km/h)	6	Typical Range(km)	13/25
Max. Slope (°)	10	Waterproof Rating	IPX4

www.superpirobot.com

SUPERPI



SUPERPI P2
POWER WHEELCHAIR

Removable Lithium Battery

24V/10Ah×1 | 24V/20Ah×1

- Award-winning design
- Carbon monocoque frame
- Ergonomic comfort seat
- Intuitive joystick control
- Easy folding mechanism. Compact storage
- Airline approved.





Specs.

Frame Material	Carbon Fiber	Obstacle Clearance Height(mm)	50
Unfolded (mm)	960*600*945	Turning Radius(mm)	780
Folded (mm)	960*600*380	Motor	250W*2 (Brushless Motor)
Net Weight (kg)	21(Batteries not included)	Battery Type	Lithium Battery
Max Load (kg)	150	Battery Capacit （Ah）	10/20
Max Speed (km/h)	6	Typical Range(km)	19.3/37.4(Payload: 100kg)
Max. Slope (°)	10	Waterproof Rating	IPX4